

Summary Statistics for HUI Reference Scores of Health-Related Quality of Life

HUI Type: HUI3
 Country: USA
 Population: **Females in General Population Age 53 years and older**
 Sample frame: Household residents of the coterminous US born before 1948
 Data from USA Health and Retirement Study (HRS) 2000 data collection survey (2000 HRS)
<http://hrsonline.isr.umich.edu/index.php>
 Assessment viewpoint: Self-assessment or, if required, proxy-assessment
 Data collection type: Interviewer-administration
 Analyses with sampling weights: Yes (see "Notes" below)
 Source: Detailed analyses received on December 18, 2014 from Duncan Ermini Leaf (dleaf@healthpolicy.usc.edu) at University of Southern California Leonard D. Schaeffer Center for Health Policy and Economics.
 Data file of HUI3 derived variables, including scores, posted in Researcher Contributions section of HRS web site at <http://hrsonline.isr.umich.edu/index.php?p=avail#rescon>

<u>Ages (yrs)</u>	<u># of valid subject scores</u>	<u>Mean</u>	<u>Standard error of mean</u>	<u>Lower 95% confidence bound for mean</u>	<u>Upper 95% confidence bound for mean</u>	<u>Median</u>	<u>Minimum</u>	<u>Maximum</u>
53+	596	0.768	0.012	0.743	0.793	0.851	-0.200	1.000
53-54	33	0.822	0.039	0.745	0.899	0.859	0.051	1.000
55-64	199	0.785	0.027	0.730	0.840	0.897	-0.123	1.000
65-74	199	0.801	0.018	0.765	0.837	0.870	-0.050	1.000
75-84	140	0.715	0.024	0.666	0.763	0.782	-0.094	1.000
85+	25	0.513	0.064	0.385	0.641	0.558	-0.200	0.973

Notes: Total number of 2000 HRS respondents with HUI3 assessments = 1156;
 mean and median estimates use HRS respondent weights;
 standard error estimates use HRS error computation variables and Taylor approximation method;
 this work was supported by NINR R01NR013372.

From "HUI Reference Scores" section of www.healthutilities.com.

© Health Utilities Incorporated, Dundas ON, Canada. All rights reserved.