

HUI2 Multi-Attribute Health Status Classification System

<u>Attribute</u>	<u>Level</u>	<u>Description*</u>
Sensation	1	Able to see, hear, and speak normally for age.
	2	Requires equipment to see or hear or speak.
	3	Sees, hears, or speaks with limitations even with equipment.
	4	Blind, deaf, or mute.
Mobility	1	Able to walk, bend, lift, jump, and run normally for age.
	2	Walks, bends, lifts, jumps, or runs with some limitations but does not require help.
	3	Requires mechanical equipment (such as canes, crutches, braces, or wheelchair) to walk or get around independently.
	4	Requires the help of another person to walk or get around and requires mechanical equipment as well.
	5	Unable to control or use arms and legs.
Emotion	1	Generally happy and free from worry.
	2	Occasionally fretful, angry, irritable, anxious, depressed, or suffering “night terrors”.
	3	Often fretful, angry, irritable, anxious, depressed, or suffering “night terrors”.
	4	Almost always fretful, angry, irritable, anxious, depressed.
	5	Extremely fretful, angry, irritable, anxious, or depressed usually requiring hospitalisation or psychiatric institutional care.
Cognition	1	Learns and remembers school work normally for age.
	2	Learns and remembers school work more slowly than classmates as judged by parents and/or teachers.
	3	Learns and remembers very slowly and usually requires special educational assistance.
	4	Unable to learn and remember.
Self-Care	1	Eats, bathes, dresses, and uses the toilet normally for age.
	2	Eats, bathes, dresses, or uses the toilet independently with difficulty.
	3	Requires mechanical equipment to eat, bathe, dress, or use the toilet independently.
	4	Requires the help of another person to eat, bathe, dress, or use the toilet.
Pain	1	Free of pain and discomfort.
	2	Occasional pain. Discomfort relieved by non-prescription drugs or self-control activity without disruption of normal activities.
	3	Frequent pain. Discomfort relieved by oral medicines with occasional disruption of normal activities.
	4	Frequent pain; frequent disruption of normal activities. Discomfort requires prescription narcotics for relief.
	5	Severe pain. Pain not relieved by drugs and constantly disrupts normal activities.
Fertility	1	Able to have children with a fertile spouse.
	2	Difficulty in having children with a fertile spouse.
	3	Unable to have children with a fertile spouse.

Source: Torrance et al. *Medical Care* 1996, Table 1, page 706.

Legend: * - Level descriptions are worded here exactly as presented to respondents of the HUI2 preference survey.

Note: Fertility attribute is optional and not part of the standard HUI23-15Q nor HUI23-40Q questionnaires.

HUI3 Multi-Attribute Health Status Classification System

<u>Attribute</u>	<u>Level</u>	<u>Description*</u>
Vision	1	Able to see well enough to read ordinary newsprint and recognize a friend on the other side of the street, without glasses or contact lenses.
	2	Able to see well enough to read ordinary newsprint and recognize a friend on the other side of the street, but with glasses.
	3	Able to read ordinary newsprint with or without glasses but unable to recognize a friend on the other side of the street, even with glasses.
	4	Able to recognize a friend on the other side of the street with or without glasses but unable to read ordinary newsprint, even with glasses.
	5	Unable to read ordinary newsprint and unable to recognize a friend on the other side of the street, even with glasses.
	6	Unable to see at all.
Hearing	1	Able to hear what is said in a group conversation with at least three other people, without a hearing aid.
	2	Able to hear what is said in a conversation with one other person in a quiet room without a hearing aid, but requires a hearing aid to hear what is said in a group conversation with at least three other people.
	3	Able to hear what is said in a conversation with one other person in a quiet room with a hearing aid, and able to hear what is said in a group conversation with at least three other people, with a hearing aid.
	4	Able to hear what is said in a conversation with one other person in a quiet room, without a hearing aid, but unable to hear what is said in a group conversation with at least three other people even with a hearing aid.
	5	Able to hear what is said in a conversation with one other person in a quiet room with a hearing aid, but unable to hear what is said in a group conversation with at least three other people even with a hearing aid.
	6	Unable to hear at all.
Speech	1	Able to be understood completely when speaking with strangers or people who know me well.
	2	Able to be understood partially when speaking with strangers but able to be understood completely when speaking with people who know me well.
	3	Able to be understood partially when speaking with strangers or people who know me well.
	4	Unable to be understood when speaking with strangers but able to be understood partially by people who know me well.
	5	Unable to be understood when speaking to other people (or unable to speak at all).
Ambulation	1	Able to walk around the neighbourhood without difficulty, and without walking equipment.
	2	Able to walk around the neighbourhood with difficulty, but does not require walking equipment or the help of another person.
	3	Able to walk around the neighbourhood with walking equipment, but without the help of another person.
	4	Able to walk only short distances with walking equipment, and requires a wheelchair to get around the neighbourhood.
	5	Unable to walk alone, even with walking equipment. Able to walk short distances with the help of another person, and requires a wheelchair to get around the neighbourhood.
	6	Cannot walk at all.

Dexterity	1	Full use of two hands and ten fingers.
	2	Limitations in the use of hands or fingers, but does not require special tools or help of another person.
	3	Limitations in the use of hands or fingers, is independent with use of special tools (does not require the help of another person).
	4	Limitations in the use of hands or fingers, requires the help of another person for some tasks (not independent even with the use of special tools).
	5	Limitations in the use of hands or fingers, requires the help of another person for most tasks (not independent even with the use of special tools).
	6	Limitations in the use of hands or finders, requires the help of another person for all tasks (not independent even with the use of special tools).
Emotion	1	Happy and interested in life.
	2	Somewhat happy.
	3	Somewhat unhappy.
	4	Very unhappy.
	5	So unhappy that life is not worthwhile.
Cognition	1	Able to remember most things, think clearly and solve day to day problems.
	2	Able to remember most things, but have a little difficulty when trying to think and solve day to day problems.
	3	Somewhat forgetful, but able to think clearly and solve day to day problems.
	4	Somewhat forgetful, and have a little difficulty when trying to think or solve day to day problems.
	5	Very forgetful, and have great difficulty when trying to think or solve day to day problems.
	6	Unable to remember anything at all, and unable to think or solve day to day problems.
Pain	1	Free of pain and discomfort.
	2	Mild to moderate pain that prevents no activities.
	3	Moderate pain that prevents a few activities.
	4	Moderate to severe pain that prevents some activities.
	5	Severe pain that prevents most activities.

Source: Feeny et al. *PharmacoEconomics* 1995, Table III, page 494.

Legend: * - level descriptions are worded here exactly as presented to respondents in the HUI3 preference measurement surveys (Furlong et al. 1998).

Proofed and revised 2003-04-07 to match HUI and HUG websites and to match the original source documents...Torrance et al *Medical Care* 1996, Table 1 page 706 for HUI2 and Furlong et al *Annals of Medicine* 2000, Table 1 page 377 for HUI3.